UH 22.

## SUPPLEMENT

TO THE

# ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1915

# International Military-Medical Statistics for the Year 1914



•

21.5 broen eneral of in-

## SUPPLEMENT

TO THE

# ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1915

# International Military-Medical Statistics for the Year 1914



WASHINGTON
GOVERNMENT PRINTING OFFICE
1915

17/1/2°23

D. of D. DEC 20 1915

. . .

### SUPPLEMENT

TO THE

### ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1915.

INTERNATIONAL MILITARY-MEDICAL STATISTICS FOR THE YEAR 1914.

These tables are those agreed upon at the International Commission for the Unification of the Medical Statistics of Armies, held at Budapest in 1894, at Madrid in 1903, and modified by the last meeting held at Berlin in 1907. They are calculated for the United States Army proper (white and colored) and include enlisted men only. Dispositions include cases remaining from last year. Deaths include suicides and accidents. Days lost include those lost this year by cases remaining from last year.

Table I shows in absolute numbers, by divisions, the mean strength of the command, the admissions to quarters, to hospital, and total admissions; the disposition of the sick, total, and the number returned to duty, died, and otherwise disposed of, and the total number of days' sickness.

Table II gives the same data in ratios per 1,000, and also shows the days lost per soldier and per admission.

Table III shows, by arms of service, the mean strength, the total admissions, and those admitted to hospital only, the total dispositions, and the number of those returned to duty, and the number that died.

Table IV gives the same data as Table III by months.

Table V shows for each of the larger garrisons the mean strength, admissions to hospitals, total admissions, and the deaths.

Table VI shows for each of the 38 diseases or disease groups agreed upon by the international commission, the number remaining under treatment at the commencement and close of the current year, the admissions and dispositions for the year, the total sick days, and the average number of days per case.

Table VII shows the admissions, by arms of service, for the diseases and disease groups referred to in Table VI.

Table VIII shows the same data as Table VII by months.

Table IX shows deaths by rank, by length of service, and by age.

Table X shows the same data as Table IX for discharges for physical disability.

International Table I.—Movement of sick by Army corps (departments)—Absolute numbers (enlisted men).

		1	Admitted si	ck.		Sick o	lisposed of.		
	Mean strength.	Total.	To hospital.	To quarters.	Returned to duty (recovered).	Died.	Otherwise disposed of,	Total.	Total days sick.
United States (excluding Alaska):									
Eastern Department	18, 936	10,745	9, 607	1, 138	9, 768	70	253	10, 091	99, 171
Central Department	3, 457	2, 436	1,774	662	2, 299	19	65	2, 383	25, 083
Southern Department (excluding Cav-									
alry division)	4, 298	3,372	3, 056	316	4, 044	45	276	4, 365	89, 376
Western Department	8, 481	3, 707	3, 063	644	2, 537	28	87	2,652	28, 876
Second tactical division	9, 540	5, 482	3, 073	2, 409	4,688	32	109	4, 820	56, 127
Mexican border (Cavalry division)	8, 404	4, 840	2, 314	2, 526	3, 449	26	26	3, 501	27, 516
Independent stations	1,704	988	460	528	904	6	16	926	7, 964
Recruit depots	6, 028	6,555	6, 108	447	6, 174	28	340	6, 542	63, 290
General hospitals	514	523	495	28	1,740	44	592	2, 376	125, 904
Total	61, 362	38, 648	29, 950	8, 698	35, 603	298	1,764	37, 665	523, 307
Alaska <sup>1</sup>	915	387	316	41	358	8	14	380	3, 515
Canal Zone, Panama 1	2, 010	1,920	1,461	459	1,712	7	47	1,766	27,367
Hawaiian Department	7, 971	4, 171	3, 766	405	4,011	13	119	4, 143	54, 544
China 1	1,047	1, 131	941	190	1,051	6	20	1,077	11, 344
Philippine Department	10, 253	8, 999	8, 649	350	8, 446	40	324	8,810	114, 455
Army transports	1,404	681	583	98	460	6	4	470	13, 761
Expeditionary forces, Vera Cruz, Mexico	2, 266	2, 142	1,026	1,116	1,418	14	38	1,470	16, 590
Army	87, 228	58, 079	46,722	11,357	53, 059	392	2, 330	55, 781	764, 883

International Table II.—Movement of sick by Army corps (departments)—Proportionate numbers (enlisted men).

	In 1,000	of mean st	rength.	In 1,	000 dispose	ed of.	Days	lost.
	Total admissions.	Admissions to hospital.	Peaths.	Returned to duty (recovered).	Died.	Otherwise disposed of.	Per soldier.	Per admission.
United States (excluding Alaska):								
Eastern Pepartment	567. 44	507. 34	3. 70	967. 99	6. 94	25. 07	5. 24	9. 23
Central Department	704. 66	513. 16	5. 50	964. 75	7. 97	27. 28	7. 26	10.30
Southern Department	784. 55	711. 03	10. 47	926. 46	10. 31	63. 23	20.80	26.51
Western Pepartment	437. 09	361. 16	3. 30	956. 63	10. 56	32. 81	3. 40	7. 79
Second tactical division	574. 63	322. 12	3. 35	970. 80	6. 63	22. 57	5. 88	10. 24
Mexican border (Cavalry division)	575. 92	275. 35	3. 09	985. 15	7. 43	7. 43	3. 27	5. 68
Independent stations	579.81	269. 95	3. 52	976. 24	6. 48	17. 28	4. 67	8.06
Recruit depots	1, 087. 43	1, 013. 27	4. 65	943. 75	4. 28	51. 97	10. 50	9. 66
Total	629.84	488. 09	4. 82	945. 25	7. 91	46. 83	8. 53	13. 54
Alaska <sup>1</sup>	422. 95	378. 14	8. 74	942. 11	21. 05	36. S4	3. 84	9. 08
Canal Zone, Panama 1	955. 22	726. 86	3. 33	969. 42	3. 96	26. 61	13. 62	14. 25
Hawaiian Department	523. 27	472. 46	1. 63	968. 14	3. 14	28. 72	6. 84	13. 08
China 1	1, 080. 23	898.76	5. 73	975. 85	5. 57	18. 57	10.83	10. 03
Philippine Department	877. 69	843. 56	3. 79	958. 69	4. 54	36. 78	11.16	12.72
Army transports	485. 04	415. 24	4. 27	978. 72	12. 77	8. 51	9.80	20. 21
Expeditionary force, Vera Cruz, Mexico	945. 28	452. 78	6. 18	964. 63	9. 52	25. 85	7. 32	7. 75
Army	665. 83	535. 63	4. 45	951. 20	7. 03	41.77	8.77	13. 17

<sup>&</sup>lt;sup>1</sup> Separated from the department to which they belong for purposes of comparison.

#### International Table III.—Movement of sick, by arms of service—Army—Enlisted men.

			Abs	olute num!	ers.			Propor	rtionate nu	mbers.		
Arms of service.	Mean strength.	Sick adr	nissions.	Si	ck disposed	l of.	Per 1,00	00 of mean s	trength.	Per 1,000 of sick disposed of.		
	;	Total.	To hospitals.	Total.	Fit for duty (recovered).	Deaths.	Total sick ad- missions.	Admissions to hospitals.	Deaths.	Fit for duty (recovered).	Deaths.	
Infantry	30, 308	20, 079	15, 578	18, 860	17, 833	134	662. 50	513. 99	4. 37	945. 55	7. 11	
Cavalry	13, 877	10, 444	8, 015	10, 237	9, 842	74	752. 61	577. 57	5. 27	961.41	7. 23	
Coast Artillery	17, 450	9, 773	8, 435	9, 468	8, 999	71	560.06	483. 38	4. 02	950. 47	7. 51	
Field Artillery	4, 917	4, 107	3, 111	3, 902	3, 742	11	835. 27	632. 70	2. 21	959.00	2. 82	
Engineers	1, 692	1, 235	854	1, 150	1,074	7	729. 91	504. 73	4. 09	933. 91	6. 09	
Ordnance	717	404	125	394	386	3	563. 46	174. 34	4. 14	979. 70	7. 61	
Signal Corps	1, 240	658	523	599	563	4	530. 65	421.77	3. 19	939. 90	6. 68	
Hospital Corps	3, 742	2, 240	1, 952	2, 193	2, 073	23	598. 62	521. 65	6.08	945. 28	10.49	
Others	13, 285	9, 139	8, 129	8, 978	8, 547	65	687. 92	611. 89	4. 84	951. 99	7. 24	
Total	87, 228	58. 079	46, 722	55, 781	53, 059	392	665. 83	535. 63	4. 45	951. 20	7.03	

Ratios for deaths based on mean strength present and absent, total, 88,133.

#### International Table IV.—Movement of sick, by months (enlisted men).

#### AMERICAN TROOPS AT HOME.

			Abs	olute numl	ers.			Propo	ortional nur	mbers.	
Month.	Mean strength.	Sick adı	nissions.	Sic	k disposed	of.	Per 1,00	00 of mean s	strength.	Per 1,0 dispos	00 sick sed of.
		Total.	To hospital.	Total.	Fit for duty (recovered).	Deaths.	Total sick ad- missions.	Admissions to hospitals.	Deaths.	Fit for duty (recovered).	Deaths.
January	62, 128	3, 632	3, 018	3, 362	3, 199	23	58. 46	48. 58	0. 36	951. 51	6. 84
February	61, 595	3, 578	2,955	3, 430	3, 277	20	58. 09	47. 98	. 32	955. 39	5. 83
March	61, 112	4, 039	3, 344	3, 958	3,785	28	66. 09	54. 72	. 45	956, 29	7. 07
April	59, 824	3, 302	2, 768	3, 439	3, 255	28	55. 20	46. 27	. 45	946. 50	8. 14
May	60, 470	3, 178	2, 442	3, 088	2, 914	32	52. 56	40. 38	. 53	943. 65	10. 36
June	59, 637	3, 177	2, 400	3,062	2, 874	25	53. 28	40. 25	. 42	938. 60	8. 17
July	60, 099	3, 022	2, 241	3, 022	2, 859	30	50. 29	37. 29	. 50	946. 06	9. 93
August	59, 690	2, 920	2, 197	2, 897	2, 737	25	48. 92	36. 80	. 42	944. 77	8. 63
September	60, 811	2, 854	2, 130	2, 778	2, 611	23	46. 93	35. 02	. 38	939. 88	8. 28
October	62, 149	2, 929	2, 156	2,866	2, 693	25	47. 13	34. 69	. 40	939. 63	8. 72
November	62, 406	2, 762	1, 992	2,738	2, 553	17	44. 26	31. 92	. 27	932. 43	6. 21
December	66, 427	3, 255	2, 307	3,025	2, 846	22	49. 00	34. 73	. 33	940. 83	7. 27
Total	61, 362	38, 648	29, 950	37, 665	35, 603	298	629. 84	488. 09	4. 82	945. 25	7. 91

#### AMERICAN TROOPS IN THE PHILIPPINE ISLANDS.

			Abs	olute numk	ers.			Propo	rtionate nu	mbers.		
Month.	Mean strength.	Sick adı	nissic <b>ns</b> .	Sic	ek disposed	of.	Per 1,00	0 of mean s	trength.	Per 1,000 sick disposed of.		
		Total.	To hospital.	Total.	Fit for duty (recovered).	Deaths.	Total sick admissions.	Admissions to hospitals.	Deaths.	Fit for duty (recovered).	Deaths.	
January	10, 731	692	669	726	696	2	64. 49	62. 35	0. 18	958. 66	2.76	
February	10, 839	580	523	549	512	4	53 51	48. 25	. 37	932. 61	7. 29	
March	10, 688	879	857	791	757	6	82. 23	80. 17	. 54	957.02	7. 59	
April	10, 447	762	730	796	773	1	72. 93	69. 87	. 09	971. 11	1. 26	
May	10, 697	789	760	776	743	3	73. 75	71. 04	. 28	957. 48	3. 87	
June	10, 709	745	713	725	695	7	69. 57	66. 58	. 68	958. 62	9. 66	
July	9,809	823	811	771	749	4	83. 90	82. 68	. 40	971. 47	5. 19	
August	9, 552	789	760	821	790	3	82. 61	79. 57	. 31	962. 24	3, 65	
September	10, 120	670	656	639	611	3	66. 21	64. 83	. 30	956. 18	4. 69	
October	9, 227	695	656	729	689	3	75. 32	71. 10	. 27	945. 13	4. 12	
November	9,709	743	712	695	668	2	76. 55	73. 35	. 19	961. 15	2. 88	
December	10, 505	832	802	792	763	2	79. 20	76. 34	. 18	963. 38	2. 53	
Total	10, 253	8,999	8, 649	8,810	8,446	40	877. 69	843. 56	3. 79	958. 68	4. 54	

International Table V.—Movement of sick in the larger garrisons—Officers and enlisted men, year 1914.

		Total ad	missions.	Admissio pit		Dea	ths.
Garrisons.	Mean strength.	Absolute numbers.	Per 1.000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.
Columbus Barracks, Ohio	1, 511	1, 403	928. 52	1, 344	889. 48	6	3. 97
Jefferson Barracks, Mo.	1	1, 123	753.19	1, 103	739. 77	9	6.04
Fort Slocum, N. Y	1	2, 291	1, 568. 10	2, 171	1, 485. 97	5	3. 42
Presidio of San Francisco, Cal		762	610, 09	622	498. 00	2	1. 60
Fort Monroe, Va.	1	307	271. 20	246	217. 30	4	3. 53
Fort Sam Houston, Tex		858	782. 85	812	740, 88	12	10.95
Fort McDowell, Cal.		736	715. 95	681	662. 45	6	5. 84
Vancouver Baracks, Wash		411	401. 76	359	350.93	3	2, 93
Fort Sill, Okla	1	611	603. 16	484	477.79	3	2.96
Fort Winfield Scott, Cal.		183	191. 42	168	175. 73	2	2. 09
Fort Ethan Allen, Vt.		780	836. 91	740	793. 99	6	6.44
West Point, N. Y.	1	354	428, 05	264	319. 23	2	2.42
Plattsburg Barracks, N. Y		500	641. 03	435	557. 69	5	6. 41
Fort Hancock, N. J.		340	440. 98	321	416. 34	1	1. 30
Presidio of Monterey, Cal.		311	404. 95	274	356. 77	4	5. 21
Washington Barracks, D. C.		501	691. 03	327	451.03	3	4. 14
Fort Totten, N. Y.	1	364	503.46	326	450. 90	3	4. 15
Fort Myer, Va		550	783. 48	485	690.88	1	1. 42
Fort Bliss, Tex.		807	1, 200. 89	760	1, 130. 95	13	19. 35
Fort Terry, N. Y.		319	475. 41	287	427. 72	1	1. 49
Fort H. G. Wright, N. Y.		338	505. 99	319	477. 55	_	
Fort Riley, Kans.		319	486. 28	264	402. 44	2	3. 05
Fort Leavenworth, Kans		484	741. 19	405	620. 21	4	6. 13
Fort Logan, Colo			1, 629. 23	815	1, 253. 85	2	3. 08
Fort Worden, Wash		262	406. 83	233	361. 80	2	3. 11
Fort McKinley, Me.		325	518. 34	284	452. 95	4	6. 38
Fort Barraneas, Fla.			482. 14	266	431. 82	3	4. 87
Fort Hamilton, N. Y.	610		332.79	172	281. 97	3	4. 92
Madison Barracks, N. Y.	4.5	269	447. 59	256	425. 96		
Fort Wm. H. Seward, Alaska.			615. 38	159	582. 42	3	10. 99
Fort Gibbon, Alaska.		}	393. 57	77	309, 24	3	12. 05
Fort Liscum, Alaska			328. 36	42	313. 43		
Fort Davis, Alaska.		1	408. 70				
Fort St. Michael, Alaska.			266. 67	26			
Schofield Barracks, Hawaii					503. 32	10	1.95
Fort Shafter, Hawaii	· ·	1	468, 68	745	424. 26	3	1.71
Fort Kamehameha, Hawaii	· · · · · · · · · · · · · · · · · · ·			95	287. 88	1	3. 03
Fort Ruger, Hawaii			333. 33	75			
Fort De Russy, Hawaii					120. 88		
Fort Mills, P. I.					543.70	10	3. 02
Fort William McKinley, P. I		1	1		1, 031. 39	11	4. 16
Camp Stotsenberg, P. I	1				816. 59	2	1. 21
Camp McGrath, P. I				1	845. 95	1	1. 31
Augur Barracks, P. I					859. 81	5	6. 68
Cuartel de Espana, P. I			1, 027. 32		928. 68	1	1. 52
Ludlow Barracks, P. I			· ·	1	1, 348. 32	4	6. 42
Camp Keithley, P. I					447. 51	3	5. 53
Camp Eldridge, P. I				1	832. 55	4	9. 43
Pettit Barracks, P. I	T		1		711. 16	1	2. 43
Warwick Barracks, P. L.		1	645. 00		627. 50	1	2.50
Regan Barracks, P. I					911. 93	3	8. 52
	. 302	330	301.70	321	911. 95	3	0.02

International Table VI.—Movement of sick according to most important diseases, Army (American troops), enlisted men, 1914.

				Abso	lute nu	mbers.					Pr	oportio	nate nui	nbers.	
g server	g at close 913.	, 1914.	uning and tted.	D	isposed	of, 191	4.	g at close	s sick in 4.	of n	1,000 nean ngtli.	Per 1	,000 disp	posed of.	days of aent.
	Remaining of 1913	Admitted, 1914.	Total remaining admitted.	Fit for duty.	Died.	Other- wise.	Total.	Remaining at close of 1914.	Total days	Admis- sions.	Deaths.	Fit for duty.	Died.	Other- wise.	Average days treatment.
1. Alkoholismus acutus, including															
delirium tremens	8	1, 184	1, 192	1, 141	7	36	1, 184	11	4, 309	13. 57	0.08	964	5.91	30. 41	3. 64
2. Appendicitis, typhilitis, and	40	704	7.44	0=4	1.0	00	000	40	10 700	0.07	15	0.04	10.00	45 70	00.00
perityphilitis		704	744	654	13	32	699	48	18, 789		. 15	936	18. 60	45. 78	26. 68
4. Cholera Asiatica			2, 889	2, 795		36	2, 831	55	16, 894					12. 72	5.90
5. Cholera nostras		2	2	$\frac{1}{2}$			$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$		6	.02		i i			17. 00 3. 00
6. Diphtheria et croup			49	42		4	46	3	1, 257	.50	1	913		86.96	28. 5'
7. Dysenteria		290	303	272	4	15	291	11	6,650	3. 32	. 05	935	13.75	51. 55	22. 9
8. Erysipelas.		40	40	37	1	1.0	39	1	650	. 46	.01	949	25. 64	25. 64	16. 28
9. Febris intermittens (malaria)			1, 124			31	1, 107	17	8, 844		.01	972	20.01	28.00	7. 9
10. Febris recurrens		, 111	1, 121	1,070		91	1, 10,	1,	0,011	12. 70		012		20.00	
11. Fractura ossium.	1	1. 113	1, 235	1 032	15	94	1, 141	118	47, 052	12.76	. 17	904	13. 15	82. 38	42. 2
12. Gonorrhea.			5, 273				3, 759		71, 347			963		36. 71	14. 00
13. Hernia		373	400	339	3	30	372	30	13, 887		. 03	911	8.06	80. 65	37. 2
14. Influenza	1					}	1,075	22	6, 563			990		10. 23	6. 1
15. Insolatio (Hitzschlag coup de									,						
chaleur)		9	9	9			9		44	. 10		1,000			4. 89
16. Luxationes articulorum	11	221	232	209	2	12	223	13	3, 960	2. 53	. 02	937	8. 97	53. 81	17. 93
17. Meniugitis cerebrospinalis epi-									!						
demica	1	17	18	8	6	5	19	1	679	. 19	. 07	421	315. 79	263. 16	39. 94
18. Morbilli	6	550	556	524	8	14	546	9	10, 113	6. 31	. 09	960	14. 65	25.64	18. 38
19. Parotitis epidemica	9	776	785	749		28	777	10	12, 016	8.90		964		36.04	15. 49
20. Pleuritis	9	233	242	218		15	233	12	5, 100	2. 67		936		64.38	21. 89
21. Pneumonia crouposa sive lobaris	12	196	208	155	15	25	195	14	5, 635	2. 25	. 17	795	76.92	128. 21	28.7
22. Rheumatismus articulorum	27	495	522	464		27	491	30	12, 620	5. 67		945		54.98	25. 5
23. Scarlatina		29	29	21	1	2	24	4	840	. 33	. 01	875	41. 67	83. 34	28.9
24. Scorbutus		1	1	1			1		5	. 01		1,000			5.0
25. Syphilis	121	2,007	2, 128	1, 704	5	129	1,838	84	43, 197	23.01	. 06	927	2.72	70. 19	21.5
26. Trachoma		12	12	8		4	12		534	. 14		667		333. 33	44. 5
27. Tuberculosis pulmonum <sup>1</sup>	140	260	400	44	23	187	254	140	53, 082	2.98	. 26	173	90.56	736.22	204. 1
28. Tuberculosis ceterorum organ-															
orum		32	42	12	18	16	46	5	3, 368	. 37	. 21		391.30	347.83	105. 2
29. Typhus abdominalis		7	10	6	3		9	1	423	. 08	. 03	667	333. 33		60.4
30. Typhus exanthematicus		1	1	1		- • • • • •	1		53	. 01		1,000			53.0
31. Ulcus molle		1	2,664	1, 620		71	1, 691	89	1	29. 49	0.7	958	1.40 00	41. 99	36.0
32. Variola		7	7	6	1	•••••	7	14	76	.08	. 01	857	142. 86	*********	10.8
33. Morbi auris		530	539	496	177	28	524	14	6, 452	6.08	10		100 00	53. 43	12.1
34. Morbi cordis <sup>2</sup>		138	147	62	17	60	139	15	5, 447	1. 58	. 19		122. 30	431.65	39.4
35. Morbi cutis <sup>3</sup>		1, 508	1,539	1, 462	9	. 33	1, 495	102		17. 29	0.1	978	9 00	22.08	10.4
36. Morbi mentis		365	427	45	3	290	338	103	30,040	4. 18	. 04	133	8.88	857.99	82. 3
37. Morbi oculi	19	757	776	710		39	749	27	10,038	8.68		948		52. 07	13. 2
38. Morbi systemat, urin, et sexual	00	7.43	770	000	10	70	7.49	20	14 941	9 40	15	888	17. 50	04.91	10.0
(excluding venerie et syphilis)	32	741	773	660	13	70	743	30	14, 241	8. 49	. 15	000	17. 30	94. 21	19. 2

<sup>&</sup>lt;sup>1</sup> Includes tuberculosis of the larynx.

#### International Table VII.—Most important diseases, by arms of service (enlisted men), 1914.

	Absol	ute ni	ımbers	—Adr	nissio	ns by	arms	of ser	vice.	Propo	ortionat	e num		Admiss trength		oer 1,0	00 of	mean
Diseases of the international nosological table.	Infantry.	Cavalry.	Coast Artillery.	Field Artillery.	Engineers.	Ordnance.	Signal Corps.	Hospital Corps.	Others.	Infantry.	Cavalry.	Coast Artillery.	Field Artillery.	Engineers.	Ordnance.	Signal Corps.	Hospital Corps.	Others,
1. Alkoholismus acutus,																		
including delirium tre-	455	00	050		4.0	01		0.5.5	7.47	75 00	F 70	14.05	10 17	00 07	00.00	10.10	01.00	10.01
mens	457	80	256	50	48	21	15	116	141	15. 08	5. 76	14. 67	10. 17	28.37	29. 29	12. 10	31.00	10. 61
2. Appendicitis typhilitis	0.00	1.00	110	- 4	1.5	,	-	~ 4	67	0 05	0.00	0.40	10.00	0 07	E E0	F 05	14 49	5 04
and perityphilitis  3. Bronchitis acuta	1			1	15 61	33		54 100			9. 30 27. 74					5. 65		1
4. Cholera Asiatica		309	310	147	OT	99		100	090	20. 99	21, 14	¥1, UU	<i>≟</i> ∂. ∂∪	30.00	40,00	11.14	20.73	00.00
5. Cholera nostras		* * * * *	9			• • • • •						. 11				* * * * * *		
6. Diphtheria et croup		6	6	1				5	12	. 46	. 43	. 34	. 20				1. 34	. 90
7. Dysenteria		50	12	13	13	2	4	21	24			. 69	2. 64		2, 79	3. 23		
8. Erysipelas	14	7	7	3	20	]		3	6	. 46			. 61			0. 20	. 80	
9. Febris intermittens																		
(malaria)	382	203	202	85	76	4	12	42	105	12.61	14. 63	11. 58	17. 29	44. 92	5.58	9. 68	11. 22	7.90
10. Febris recurrens																		
11. Fractura ossium	346	300	178	100	15	6	18	35	115	11. 42	21. 62	10. 20	20. 34	8.87	8. 37	14.52	9. 35	8. 66
12. Gonorrhea	2, 176	721	765	399	125	14	74	186	616	71.89	51.96	43. 84	81. 15	73. 88	19.53	59.68	49.71	46.37
13. Hernia	114	43	67	9	3	2	4	18	113	3.76	3. 10	3. 84	1. 83	1.77	2.79	3. 23	4.81	8.51
14. Influenza	404	204	194	45	8	16	21	72	108	13.33	14.70	11. 12	9. 15	4.73	22. 32	16.94	19. 24	8. 13
15. Insolatio (Hitzschlag,										]								
coup de chaleur)	i	3	1	3		• • • • •				. 07	. 22	. 06	. 61					
16. Luxationes articulorum	79	51	43	10	4	1	3	6	24	2.61	3. 67	2. 46	2. 03	2.36	1. 39	2.42	1. 60	1. 81
17. Meningitis cerebro-spi-																		
nalis epidemica								1	6		1							
18. Morbilli								17		5. 58	(	3. 67		ĺ		2. 42	1	
19. Parotitis epidemica					23	3		16	185		1	12. 26		13. 59				13. 93
20. Pleuritis	95	37	32	16	12	2	2	17	20	3. 14	2. 67	1. 83	3. 25	7.09	2.79	1. 61	4. 54	1. 51
sive lobaris	51	40	24	12	9		1	6	60	1 69	2.88	1 20	9 44	1 10		01	1 60	4 59
22. Rheumatismus articu-	01	40	24	12	2		1	U	00	1. 00	2,00	1, 90	2. 44	1. 10	• • • • •	. 01	1. 00	4. 02
lorum	137	103	108	17	7	2	5	18	98	4 52	7.42	6 19	3 46	4 14	2 79	4 03	4 81	7.38
23. Scarlatina			1	3				2	17		i i					1		1. 28
24. Scorbutus																		
25. Syphilis	857	330	300	154	53	8	21	82	202	28. 28	23.78	17. 19	31. 32	31. 33	11. 16	16. 94	21. 92	15. 21
26. Trachoma	5	2	1	,	1			1	2		į.						. 27	
27. Tuberculosis pulmo-																		
num 1	106	26	63	13	3		5	18	26	3.50	1.87	3. 61	2. 64	1.77		4. 03	4.81	1.96
28. Tuberculosis ceterorum																		
organorum	1								5	. 43	. 50					. 81		
29. Typhus abdominalis								2	4			. 06					. 53	. 30
30. Typhus exanthematicus.										. 03								
31. Ulcus molle				191	69	2	26	77	173	48. 04	22. 41							
32. Variola		2		4		• • • • •	1						1					
33. Morbi auris						• • • • •	6	. 24								4. 84		
34. Morbi cordis	1	22 287	$\begin{array}{c c} 26 \\ 314 \end{array}$			10	10	$\frac{7}{40}$	24					15 00				
36. Morbi mentis		287 50			27	10	12	29	236 50	15. 41 4. 59				15. 96			10. 69	
37. Morbi oculi			$\begin{array}{c} 62 \\ 153 \end{array}$		19		i l	$\frac{29}{26}$			3. 60 10. 16			6. 50				
38. Morbi systemat. urin.	201	141	193	45	19	4	9	20	99	0. 01	10.10	0.77	9. 15	11. 23	9, 98	7. 26	6. 95	7.45
et sexual (excluding																		
venerie et syphilis)		138	130	54	. 19	6	6	26	113	8. 22	9 94	7.45	10. 98	11. 23	8 37	4. 84	5. 95	8. 51
												1.0		1		1.01		0.01

<sup>&</sup>lt;sup>1</sup> Includes tuberculosis of the larynx.

#### SUPPLEMENT TO REPORT OF THE SURGEON GENERAL OF THE ARMY.

#### International Table VIII.—Most important diseases, by months (enlisted men), 1914.

	Janu- Febru- March. April. May. June. July. August. September. December. ber.												
Diseases of the international nosological table.			March.	April.	May.	June.	July.	August.					
1. Alkoholismus acutus, including													
delirium tremens	106	72	100	96	104	105	124	97	85	102	90	103	
2. Appendicitis, typhilitis, and perityphilitis.	E 4	40	-0	0.0	F.0	CC.	75	e E	40	40	60	61	
3. Bronchitis acuta	54	49	56	66	56	66	75	65	48 140	48	60	61 275	
4. Cholera Asiatica	337	393	408	247	229	183	134	163	140	151	172	213	
5. Cholera nostras								1		1			
6. Diphtheria et croup	3	5	10	2	1	5	1	1	7	9	1	5	
7. Dysenteria			15		1 28	1	1	32	20	35		21	
8. Erysipelas.	10	29	3	10	6	41	32	32	20	ამ 1	17 2	21	
9. Febris intermittens (malaria)	74	43	70	3 61	72	118	6 117	144	177	92	65	78	
10. Febris recurrens		40	10	01	14	110	111	144	1//	34	00	10	
11. Fractura ossium	79	87	100	90	93	68	96	81	108	113	99	99	
12. Gonorrhea.	441	395	421	360	386	413	411	426	407	496	434	486	
13. Hernia.	33	28	33	28	27	31	34	26	30	47	28	28	
14. Influenza.	113	127	194	161	64	67	49	47	47	43	68	92	
15. Insolatio (Hitzschlag coup de	110	121	134	101	04	07	43	41	41	40	00	92	
chaleur)				1	2		1	2	1		2		
16. Luxationes articulorum	15	14	15	10	18	16	20	23	21	26	24	19	
17. Meningitis cerebrospinalis epi-	10	1.1	10	10	10	-	20	20	21	20	21	10	
demica	4		3	2	1	1	1		3		1		
18. Morbilli	47	62	142	112	78	56	22	2	10	4	3	12	
19. Parotitis epidemica	74	156	254	137	82	38	12	6	3	4	1	9	
20. Pleuritis	23	16	25	17	14	17	18	22	24	21	21	15	
21. Pneumonia crouposa sive lobaris.		25	32	16	17	7	14	8	6	13	13	12	
22. Rheumatismus, articulorum		53	55	51	44	36	26	31	30	29	33	43	
23. Scarlatina	2	2	2	2	1	2	1	2	3	3	6	3	
24. Scorbutus.					_			1					
25. Syphilis.		201	225	181	154	147	150	159	135	126	123	152	
26. Trachoma		201		2				5	2			1	
27. Tuberculosis, pulmonum		19	24	23	21	23	26	23	24	29	16	12	
28. Tuberculosis ceterorum organ-													
orum	7	5	3	5		1	2	2	1	3	1	2	
29. Typhus abdominalis		1	1			1	1		1		1	1	
30. Typhus exanthematicus					1								
31. Ulcus molle		141	192	156	197	235	269	268	236	243	248	212	
32. Variola		2				1						1	
33. Morbi auris.		43	53	36	46	40	48	55	47	40	44	48	
34. Morbi cordis.		14	16	14	5	11	13	7	10	13	9	15	
35. Morbi cutis.		89	121	109	135	168	142	156	119	120	111	130	
36. Morbi mentis.		14	32	35	28	35	. 27	28	29	35	30	35	
37. Morbi oculi		62	71	69	79	67	57	62	53	54	59	69	
38. Morbi systemat. urin. et sexual												1	
(excluding venerie et syphi-													
	62	44	67	70	57	54	78	88	51	61	56	53	
lis)	62	44	67	70	57	54	78	88	51	61	56	5	

#### International Table IX.—Deaths by rank, by length of service, and by age.

	bei death	num- r of s (en- men).			v rank : f servic			]	Deaths	by age	٠	
Causes of death.	Absolute num- bers.	Per 1,000 of mean strength.	Noncommissioned officers.	Soldiers in first year of service.	Soldiers in second year of service.	Soldiers in third year of service.	20 and under.	21 to 25.	26 to 30.	31 to 35.	36 to 40.	41 and over.
Deaths from sickness.	208	2.36	54	46	13	95	16	69	30	24	23	46
Soldiers present with troops	116	1.32	30	26	10	50	12	33	15	13	15	28
Soldiers absent from troops	92	1.04	24	20	3	45	4	36	15	11	8	18
Accidental deaths	140	1. 59	23	39	16	62	11	50	44	18	10	7
Soldiers present with troops	107	1. 21	22	37	13	35	11	39	36	8	6	7
Soldiers absent from troops	33	. 37	1	2	3	27		11	8	10	4	
Suicides	44	. 50	13	9	1	21	2	7	10	15	5	5
Soldiers present with troops	37	. 42	12	6	1	18	1	5	9	14	3	5
Soldiers absent from troops	7	. 08	1	3		3	1	2	1	1	2	
Total	392	4.45	90	94	30	178	29	126	84	57	38	58

International Table X.—Discharges from the Army for physical disability, temporary or permanent, by rank, length of service, and by age, 1914.

		imber of ges (en- nen).	Ranl	c and len	gth of ser	vice.			Ag	ge.		
Causes of discharge.	Absolute numbers.	Per 1,000 of mean strength.	mis-	Soldiers in first year of service.	Soldiers in second year of service.	Soldiers in third year of service.	20 and	21 to 25.	26 to 30.	31 to 35.	36 to 40.	41 and over.
Physical disability existent prior to enlistment	656	7. 44	7	458	106	85	95	393	110	48	6	4
Physical disability incident to service	399	4. 53	64	77	69	189	24	167	102	52	34	20
Physical disability not incident to service	90	1.02	7	20	12	51	4	38	22	16	5	5
Total	1, 145	12.99	78	555	187	. 325	123	598	234	F16	45	29

W. C. Gorgas, Surgeon General United States Army.







